

Sovchem[®] CMBT

1. CHEMICAL PRODUCT & COMPANY IDENTIFICATION	
Manufacturer Sovereign Chemical Company 4040 Embassy Parkway, Suite 190 Akron, OH 44333	Emergency Contact Chemtrec: 1-800-424-9300 (continental USA) (1)703-527-3887 (outside continental USA)
Trade Name(s): Sovchem [®] CMBT	Synonyms: 2-Benzothiazolthione, Copper Salt
Chemical Name: Copper 2-Mercaptobenzothiazolate	CAS Number: 32510-27-3
Relevant identified uses of the substance or mixture and uses advised against: No further relevant information available.	Application of the substance/the preparation: Rubber Compounding.
Issued By: Sovereign Chemical Company According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS	SDS Number: 1753 Date of Issue: September 13, 2013 Revision Number: 3 Change(s): Update to GHS requirement

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008: The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H400, H410.



GHS09 Environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation

Eye Irrit. 2 H319 Causes serious eye irritation

Skin Sens. 1 H317 May cause an allergic skin reaction

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi; Irritant

R36/38 Irritating to eyes and skin



Xi; Sensitizing

R43 May cause sensitization by skin contact.



N; Dangerous to the Environment

R50/53 Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Information concerning particular hazards for human and environment

The product has to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification System

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

2.2 Label elements

Labeling according to Regulation (EC) No 1272/2008

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H410

The product is classified and labeled according to the CLP regulation.

Hazard pictograms:



GHS07 GHS09

Signal word: Warning

Hazard-determining components of labeling

2-Copper Mercaptobenzothiazolate

Benzothiazole-2-thiol

Hazard statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves and eye protection.
P264	Wash thoroughly after handling.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.

Additional information

Contains 2-Copper Mercaptobenzothiazolate, benzothiazole-2-thiol. May produce an allergic reaction.

Hazard description

WHMIS-symbols



D2B –Toxic material causing other toxic effects

NFPA ratings (scale 0-4)



Health = 1
Fire = 1
Reactivity = 0

HMIS ratings (scale 0-4)

HEALTH	1
FIRE	1
REACTIVITY	0

Health = 1
Fire = 1
Reactivity = 0

HMIS Long Term Health Hazard Substances: None of the ingredients is listed.

2.3 Other hazards

Results of PBT and vPvB assessment
















PBT: Not applicable.

vPvB: Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Description: Mixture of substances listed below with non-hazardous additions.

Dangerous components

CAS: 32510-27-3 EINECS: 251-074-8	2-Copper Mercaptobenzothiazolate Xn R65  Xi R36/38;  Xi R43;  N R50/53  Aquatic Acute 1, H400;  Aquatic Chronic 1, H410  Skin Irrit. 2, H315,  Eye Irrit. 2, H319;  Skin Sens. 1, H317	50-100%
CAS: 149-30-4 EINECS: 205-736-8 Index number: 613-108-00-3	benzothiazole-2-thiol  Xi R43;  N R50/53  Aquatic Acute 1, H400;  Aquatic Chronic 1, H410  Skin Sens. 1, H317	<10%
CAS: 8042-47-5 EINECS: 232-455-8	White Mineral Oil  Xn R65  Asp. Tox. 1, H304	<10%

Additional information: For the wording of the listed risk phrases refer to section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions.

Coughing.

Gastric or intestinal disorders.

Breathing difficulty.

Hazards: No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added activated carbon.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons, unsuitable extinguishing agents: None.

5.2 Special hazards arising from the substance or mixture: Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

Protective equipment

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information: Cool endangered receptacles with water fog or haze.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Isolate area and prevent access.

6.2 Environmental precautions

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Prevent formation of dust.

Any unavoidable deposit of dust must be regularly removed.
Ensure good ventilation/exhaustion at the workplace.
Information about fire and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles
Avoid storage near extreme heat, ignition sources or open flame.
Store in a cool location.

Information about storage in one common storage facility

Store away from foodstuffs.
Do not store together with oxidizing and acidic materials.
Store away from reducing agents.

Further information about storage conditions

Store in cool, dry conditions in well-sealed receptacles.
Keep container tightly sealed.

7.3 Specific end use(s): No further relevant information available.

8. EXPOSURE CONTROLS - PERSONAL PROTECTION

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace

149-30-4 benzothiazole-2-thiol

WEEL (USA)	5 mg/m ³ , Skin; DSEN
------------	----------------------------------

DNELs: No further relevant information available.

PNECs: No further relevant information available.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

Respiratory protection

Use suitable respiratory protective device in case of insufficient ventilation.
Use suitable respiratory protective device when high concentrations are present.
For spills, respiratory protection may be advisable.

Protection of hands



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests, no recommendation to the glove material can be given for the product/the preparation/the chemical.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

Neoprene gloves, Nitrile rubber, NBR.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection

Contact lenses should not be worn.



Safety glasses

Body protection: Protective work clothing

Limitation and supervision of exposure into the environment: No further relevant information available.

Risk management measures

See Section 7 for additional information.

No further relevant information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

General Information Appearance Form: Powder. Color: Orange.	Change in Condition Melting Point/Melting Range: Undetermined. Boiling Point/Boiling Range: Undetermined.
Odor: Odorless.	Octanol/Water Partition Coefficient: Not determined.
Odor threshold: Not determined.	pH: Not applicable.
Vapor Pressure: Not applicable.	Flash point: 255°F/124°C.
Density at 20 °C: 0,4 g/cm ³ .	Flammability (solid, gaseous): Not determined.
Relative density: Not determined.	Ignition temperature: Not determined.
Vapor Density: Not applicable.	Decomposition temperature: Not determined.
Evaporation rate: Not applicable.	Self-igniting: Product is not self-igniting.
Solubility in / Miscibility with water: Insoluble.	Danger of explosion: Product does not present an explosion hazard.
Viscosity Dynamic: Not applicable. Kinematic: Not applicable.	Explosion limits Lower: Not determined. Upper: Not determined.
Solvent content: Organic solvents: Not determined	Solid Content: Not determined

9.2 Other information No further relevant information available.

10. STABILITY AND REACTIVITY

10.1 Reactivity

10.2 Chemical stability

Thermal decomposition/conditions to be avoided: No decomposition if used and stored according to

specifications.

10.3 Possibility of hazardous reactions

- Reacts with strong oxidizing agents.
- Reacts with strong acids.
- Contact with acids releases toxic gases.
- Toxic fumes may be released if heated above the decomposition point.

10.4 Conditions to avoid: Store away from oxidizing agents.

10.5 Incompatible materials: Contact with acids liberates toxic gases.

10.6 Hazardous decomposition products

- Mercaptans
- Carbon monoxide and carbon dioxide.
- Sulphur oxides (SO_x).
- Hydrogen sulphide.
- Nitrogen oxides.
- Toxic metal oxide smoke.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD/LC50 values relevant for classification:		
149-30-4 benzothiazole-2-thiol		
Oral	LD50	100 mg/kg (rat)
Dermal	LD50	>7940 mg/kg (rabbit)

Primary irritant effect

- On the skin: Slight irritant effect on skin and mucous membranes.
- On the eye: Slight irritant effect on eyes.
- Sensitization: Sensitization possible through skin contact.

Additional toxicological information

The product shows the following dangers according to the calculation method of the General EU

Classification

Guidelines for Preparations as issued in the latest version:

- Irritant.
- Danger through skin adsorption.
- Toxic and/or corrosive effects may be delayed up to 24 hours.
- Sensitization: Sensitization possible by inhalation and/or dermal contact.
- Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability: No further relevant information available.

12.3 Bio-accumulative potential: May be accumulated in organism.

12.4 Mobility in soil: No further relevant information available.

Eco-toxic effects

Remark

Very toxic for fish.

Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

The product is oxygen-consuming. The declared action may be partly caused by lack of oxygen.

Additional ecological information

General notes

The declarations are valid for the component with the highest toxicological risk.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment cannot be excluded.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also, poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects: No further relevant information available.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Un-cleaned packaging

Recommendation: Disposal must be made according to official regulations.





14. TRANSPORTATION INFORMATION

14.1 UN-Number

DOT	N/A
ADR, IMDG, IATA	UN3077

14.2 UN proper shipping name

DOT	N/A
ADR	3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (2-Copper Mercaptobenzothiazolate)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (2-Copper Mercaptobenzothiazolate, benzothiazole-2-thiol), MARINE POLLUTANT

IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (2-Copper Mercaptobenzothiazolate)
14.3 Transport hazard class(es)	
DOT, Class ADR	N/A
 	9 (M7) Miscellaneous dangerous substances and articles. 9
Class Label	
IMDG, IATA	
 	
Class Label	9 Miscellaneous dangerous substances and articles. 9
14.4 Packing group	
DOT ADR, IMDG, IATA	N/A III
14.5 Environmental hazards	
Marine pollutant	Product contains environmentally hazardous substances, 2-Copper Mercaptobenzothiazolate, benzothiazole-2-thiol Yes Symbol (fish and tree)
Special marking (ADR)	Symbol (fish and tree)
Special marking (IATA)	Symbol (fish and tree)
14.6 Special precautions for user	
Danger Code (Kemler)	Warning: Miscellaneous dangerous substances and articles. 90
EMS Number	F-A, S-F
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Transport/Additional Information	Not applicable.
ADR	
Limited quantities (LQ)	5 kg
Transport category	3
Tunnel restriction code	E
UN "Model Regulation"	3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (2-Copper Mercaptobenzothiazolate), 9, III

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA)

SARA Section 355 (extremely hazardous substances)	None of the ingredients is listed.
SARA Section 313 (Specific toxic chemical listings)	149-30-4 benzothiazole-2-thiol
TSCA (Toxic Substances Control Act)	All ingredients are listed.
Proposition 65 (California)	
Chemicals known to cause cancer	None of the ingredients is listed.
Chemicals known to cause reproductive toxicity for females	None of the ingredients is listed.
Chemicals known to cause reproductive toxicity for males	None of the ingredients is listed.
Chemicals known to cause developmental toxicity	None of the ingredients is listed.
Carcinogenic Categories	
EPA (Environmental Protection Agency)	None of the ingredients is listed.
IARC (International Agency for Research on Cancer)	None of the ingredients is listed.
TLV (Threshold Limit Value established by ACGIH)	None of the ingredients is listed.
NIOSH-Ca (National Institute for Occupational Safety and Health)	None of the ingredients is listed.
OSHA-Ca (Occupational Safety & Health Administration)	None of the ingredients is listed.
Canada	
Canadian Domestic Substances List (DSL)	All ingredients are listed.
Canadian Ingredient Disclosure list (limit 0.1%)	None of the ingredients is listed.
Canadian Ingredient Disclosure list (limit 1%)	None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- R36/38 Irritating to eyes and skin.
- R43 May cause sensitization by skin contact.
- R50/53 Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.



Safety Data Sheet

R65 Harmful: may cause lung damage if swallowed.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent